


# AS and A LEVEL

*Practical Skills Handbook*

---

# PHYSICS A PHYSICS B (ADVANCING PHYSICS)

This Practical Skills Handbook is designed to accompany the OCR Advanced Subsidiary GCE and Advanced GCE specifications in Physics A and Physics B (Advancing Physics) for teaching from September 2015.



[ocr.org.uk/alevelphysics](http://ocr.org.uk/alevelphysics)

**OCR**  
Oxford Cambridge and RSA

We will inform centres about any changes to the specification. We will also publish changes on our website. The latest version of our specification will always be the one on our website ([ocr.org.uk](http://ocr.org.uk)) and this may differ from printed versions.

Copyright © 2015 OCR. All rights reserved.

#### Copyright

OCR retains the copyright on all its publications, including the specifications. However, registered centres for OCR are permitted to copy material from this specification booklet for their own internal use.

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered company number 3484466.

Registered office: 1 Hills Road  
Cambridge  
CB1 2EU.

OCR is an exempt charity.

**OCR will update this document on a regular basis. Please check the OCR website ([www.ocr.org.uk](http://www.ocr.org.uk)) or Interchange (<https://interchange.ocr.org.uk>) at the start of the academic year to ensure that you are using the latest version.**

**Version 1.0 – May 2015**

## Contents

---

<b>1 Introduction</b>	<b>4</b>
How to use this handbook	4
Summary of the assessment model	5
<b>2 Overview of practical skills requirements</b>	<b>5</b>
Summary of the practical skills required	6
Skills assessed in the written examinations	6
Skills assessed through the Practical Endorsement	6
AS Level candidates and the Practical Endorsement	6
<b>3 Practical skills assessed in a written examination</b>	<b>7</b>
Planning	7
Example questions	7
Implementing	8
Example questions	8
Analysis	8
Example questions	9
Evaluation	10
Example questions	11
<b>4 Practical skills assessed in the Practical Endorsement</b>	<b>12</b>
Introduction to the OCR Practical Endorsement	12
Planning activities to cover the Endorsement requirements	12
The Practical Activity Groups	12
Practical Activity Support Service	17
Activities provided by OCR	17
Tracking achievement	19
Requirements for record keeping	19
The PAG tracker	19
Monitoring arrangements	20
Monitoring visits	20
Arrangement of visits	20
Standardisation	21
Assessing the Practical Endorsement	21
Access arrangements	21

<b>5 Planning your practical scheme of work</b>	<b>22</b>
An approach to planning	22
Sample planning tables	23
Physics A sample planning table	24
Physics B (Advancing Physics) sample planning table	26
<b>Appendix 1: Health and safety</b>	<b>28</b>
Hazard labelling systems	28
Non-Ionising Radiation	29
Risk assessments	29
<b>Appendix 2: Apparatus list</b>	<b>31</b>
Apparatus	31
Mechanical Components	31
Electronic Equipment	31
Electronic Components	32
Optical Components	32
Consumables	33
PPE	33
Additional requirements	33
<b>Appendix 3: Guidance on practical skills</b>	<b>34</b>
Practical skills (specification Section 1.2.1)	34
<b>Appendix 4: Measurements</b>	<b>38</b>
Useful terms	38
Uncertainties	38
Examples of uncertainties	39
Worked examples	39
Multiple measurements	39
Recording measurements	40
Reading a ruler	40
Mean values	40
Presentation of results	40
Table headings	40
Consistency of presentation of raw data	41
Significant figures	41
How many significant figures should be used?	41
Rounding off	41
How do we know the number of significant figures?	41
When to round off	41
Example	42
Logarithms	42
Errors in procedure	43
Anomalous readings	43

Percentage Difference	43
References	43
<b>Appendix 5: Units</b>	<b>44</b>
<b>Appendix 6: Graphical skills</b>	<b>46</b>
Choice of scales	46
Plotting of points	49
Line (or curve) of best fit	50
Determining gradients	52
Intercept	53
<b>Appendix 7: Referencing</b>	<b>54</b>
Systems of citation	54
Vancouver system	54
Parenthetical (Harvard) system	54
References	55
Books	55
Journal articles	55
Websites	55
<b>Appendix 8: Resources</b>	<b>56</b>
General resources	56
CPD	56
Practical Activity Support Service	56
<b>Appendix 9: Interchange help sheet</b>	<b>57</b>
How to use OCR Interchange	57
Registering for Interchange	57
How the page works	57
E-mail updates	58

# 1 Introduction

New GCE A/AS specifications in Physics have been introduced for teaching from September 2015. Guidance notes are provided within specifications to assist teachers in understanding the requirements of each unit.

This Handbook plays a secondary role to the specification itself. The specification is the document on which assessment is based and this Handbook is intended to elaborate on the content of the specification to clarify how skills are assessed and what practical experience is necessary to support an assessment. The Practical Skills Handbook should therefore be read in conjunction with the specification.

During their study of Physics, candidates are expected to acquire experience of planning, implementation, use of apparatus and techniques, analysis and evaluation. These skills will be indirectly assessed in the written examinations at both AS and A Level. In addition, certain planning and implementation skills will be directly assessed at A Level only, through the Practical Endorsement.

This Handbook offers guidance on the skills required for both assessments, clarifies the arrangements for the Practical Endorsement, and gives suggestions towards planning a practical scheme of work that will cover all requirements.

## How to use this handbook

**Sections 2–4** of this handbook describe the assessment of practical skills in the AS and A Level qualifications. These sections elaborate on the information provided in the specification. Teachers are particularly advised to carefully read **Section 4**, which sets out the requirements for the Practical Endorsement – the direct assessment of practical skills in the A Level qualifications.

**Section 5** provides guidance on planning the practical scheme of work, bringing together the various aspects that should be taken into account. The guidance in this section is intended to be supportive rather than prescriptive.

The **Appendices** provide reference information on various topics.

- **Appendices 1 and 2** provide information on health and safety and apparatus requirements, and may be useful to share with technicians.
- **Appendix 3** gives some further guidance on the practical skills set out in specification Section 1.2.1, which are covered in the Practical Endorsement. This section is intended to support centres in planning how they will develop these skills.
- **Appendices 4–7** give additional information on skills related to recording and presenting experimental data, covering measurements, units, graphs and referencing respectively. This content could be shared with learners to help them develop an appropriate level of skill.
- **Appendix 8** lists a number of useful resources, including additional resources and support provided by OCR.
- **Appendix 9** is a guide to finding additional documentation on Interchange.

## 2 Overview of practical skills requirements

### Summary of the assessment model

---

The practical skills assessment model is similar to the assessment model for the UK driving test, consisting of a theoretical and a practical component.

The driving theory test assesses whether you know how to drive a car, what the rules of the road are, and whether you can spot hazards. The theory test is centrally administered by the UK government, and all candidates sit a test of a similar format.

The practical driving test assesses whether you actually can drive a car. It is directly assessed by an examiner, who determines whether you have achieved the minimum standard. While certain skills must always be demonstrated, the experience of the assessment will be quite different from one candidate to the next, depending on the route taken, traffic conditions, hazards encountered, and so on.

Similarly, the assessment of practical skills in the GCE Physics qualifications consists of two components.

- The 'theoretical' component is an **indirect** assessment of practical skills through a written examination. This assessment is integrated into the written assessments of physics knowledge and understanding, administered by OCR and taken at the end of the course.
- The 'practical' component is a **direct** assessment of practical skills displayed by candidates as they are performing practical work. This is assessed by the teacher across the whole of the course.

The indirect, written assessment is a component of both AS and A Level Physics. The direct assessment, known as the Practical Endorsement, is a component of A Level Physics only.

The skills required for the practical skills assessments are set out in Module 1 of the specification: Development of practical skills in physics. Module 1 is divided into two sections:

- **Section 1.1** of the specification covers skills that are assessed indirectly in a written examination. These skills may be assessed in any of the written papers that constitute the written assessment, at both AS and A Level.  
Assessment of practical skills forms a minimum of 15% of the written assessment at both AS and A Level.
- **Section 1.2** of the specification covers skills that are assessed directly through the Practical Endorsement. Candidate performance is teacher-assessed against the Common Practical Assessment Criteria. If the candidate has demonstrated achievement in the competencies described, the teacher awards a Pass. The Practical Endorsement is ungraded.  
The Practical Endorsement is a component of the assessment at A Level only. There is no direct assessment of practical skills at AS Level.  
Performance in the Practical Endorsement is reported separately to the performance in the A Level as measured through the externally assessed components.

---

## Summary of the practical skills required

---

### **Skills assessed in the written examinations**

The skills assessed in the written examination cover the following areas:

- Planning
- Implementing
- Analysis
- Evaluation

Questions assessing these practical skills will be embedded in contexts relating to the content of the specification. The specification learning outcomes beginning ‘techniques and procedures ...’ indicate types of practical activity that may form the context for the assessment of practical skills. Candidates should be able to apply any of the above skills within any of these practical contexts.

### **Skills assessed through the Practical Endorsement**

The skills assessed through the Practical Endorsement cover the areas of Planning and Implementing, specifically the following:

- Independent thinking
- Use and application of scientific methods and practices
- Research and referencing
- Instruments and equipment

Candidates must exemplify their skill in these areas through use of the apparatus and techniques listed in the specification, Section 1.2.2

Within Appendix 5 of the specification, a structure comprising 12 Practical Activity Groups (PAGs) is presented that demonstrate how the required skills and techniques for the Practical Endorsement may be covered in the minimum 12 activities. Centres are permitted to assess a wider range of practical activities for the Practical Endorsement, which may include splitting the requirements of individual PAGs across multiple activities.

## AS Level candidates and the Practical Endorsement

---

There is no direct assessment of practical skills within the AS Level qualification. However, AS Level candidates will benefit from completing the type of practical activities recommended within the Practical Endorsement, as well as others, for the following reasons:

- completing practical activities will help to develop the practical skills that are assessed in the written examination
- completing practical activities will support understanding of the content of the specification
- candidates who decide to continue to take the A Level qualification after completing AS Level will be able to use their performance on Practical Endorsement activities completed in their first year towards the Practical Endorsement, as long as appropriate records have been kept.



## 3 Practical skills assessed in a written examination

### Planning

Specification Section 1.1.1.

Learners should be able to demonstrate and apply their knowledge and understanding of:


- experimental design, including to solve problems set in a practical context
- identification of variables that must be controlled, where appropriate
- evaluation that an experimental method is appropriate to meet the expected outcomes.

Experimental design should include selection of suitable apparatus, equipment and techniques for the proposed experiment.

Learners will benefit from having been given the opportunity to design simple experiments, and receiving feedback on their plans. Additionally, they should routinely be asked to consider why experiments are performed in the way they are, and how the experimental set-up contributes to being able to achieve the expected outcome. Learners could be asked what might be the effect of changing aspects of the method.

### Example questions

The figure below shows an arrangement used to investigate how the kinetic energy of a toy car varies with its distance  $d$  from the top of the ramp.



Design a laboratory experiment to determine the kinetic energy of the car at one particular distance  $d$  from the top of the ramp.

In your description pay particular attention to

- how the apparatus is used
- what measurements are taken
- how the data is analysed

*AS Level Physics A, Sample Question Paper H156/01 question 22(b)*

---

## Implementing

---

Specification Section 1.1.2.

Learners should be able to demonstrate and apply their knowledge and understanding of:

- how to use a wide range of practical apparatus and techniques correctly
- appropriate units for measurements
- presenting observations and data in an appropriate format.

The practical apparatus and techniques that may be assessed are those outlined in the specification statements related to practical techniques and procedures and, for A Level only, those covered in the Practical Endorsement


Learners will be expected to understand the units used for measurements taken using common laboratory apparatus. See Appendix 5 for units commonly used in practical work in physics.

Appropriate presentation of data includes use of correct units and correct number of decimal places for quantitative data. This skill also includes appropriate use of tables and graphs for presentation of data.

Further information on recording measurements and the use of graphs is given in Appendices 4 and 6, respectively.

### Example questions

The figure shows a capacitor-resistor circuit. Describe how the time constant of this circuit can be determined experimentally in the laboratory.



*A Level Physics A, Sample Question Paper H556/02 question 20(c)*

---

## Analysis

---

Specification Section 1.1.3.

Learners should be able to demonstrate and apply their knowledge and understanding of:

- processing, analysing and interpreting qualitative and quantitative experimental results
- use of appropriate mathematical skills for analysis of quantitative data
- appropriate use of significant figures
- plotting and interpreting suitable graphs from experimental results, including:
  - (i) selection and labelling of axes with appropriate scales, quantities and units
  - (ii) measurement of gradients and intercepts.

Learners will benefit from having practised these skills in a range of practical contexts. Many of the skills and techniques that form part of the Practical Endorsement will also be suitable for practising these skills.

Appendix 4 gives further information about the use of significant figures. Appendix 5 gives further information about the plotting of graphs. See also the Mathematical Skills Handbook for further guidance on the mathematical skills required in analysing experimental results, and in other areas of quantitative physics.

### Example questions

A motorcyclist riding on a level track is told to stop via a radio microphone in his helmet. The distance  $d$  travelled from this instant and the initial speed  $v$  are measured from a video recording.

Explain why the student predicts that  $v$  and  $d$  are related by the equation

$$d = \frac{v^2}{2a} + vt$$

where  $a$  is the magnitude of the deceleration of the motorcycle and  $t$  is the thinking time of the rider.


The student decides to plot a graph with  $dv^{-1}$  on the  $y$ -axis against  $v$  on the  $x$ -axis.

Explain why this is a sensible decision.

The measured values of  $v$  and  $d$  are given in the table.

$v / \text{ms}^{-1}$	$d / \text{m}$	$dv^{-1} / \text{s}$
$10 \pm 1$	$13.0 \pm 0.5$	
$15 \pm 1$	$24.5 \pm 0.5$	$1.63 \pm 0.14$
$20 \pm 1$	$39.5 \pm 0.5$	$1.98 \pm 0.12$
$25 \pm 1$	$57.5 \pm 0.5$	$2.30 \pm 0.11$
$30 \pm 1$	$79.0 \pm 0.5$	$2.63 \pm 0.10$
$35 \pm 1$	$103.0 \pm 0.5$	$2.94 \pm 0.09$

Complete the missing value of  $dv^{-1}$  in the table, including the absolute uncertainties. Use the data to complete the graph below. Four of the points have been plotted for you.



Use the figure to determine the values of  $a$  and  $t$ , including their absolute uncertainties

*A Level Physics A, Sample Question Paper H556/03 question 2*

## Evaluation

Specification Section 1.1.4.

*Learners should be able to demonstrate and apply their knowledge and understanding of:*

- how to evaluate results and draw conclusions
- the identification of anomalies in experimental measurements
- the limitations in experimental procedures
- precision and accuracy of measurements and data, including margins of error, percentage errors and uncertainties in apparatus
- refining experimental design by suggestion of improvements to the procedures and apparatus.

Learners will benefit from having practised these skills in a range of practical contexts. As a matter of course, learners should be encouraged to think carefully about the procedure they are performing and how it relates to the content of the specification; this will better place them to draw appropriate conclusions, identify anomalous and unexpected results, and identify limitations in procedures. Many activities included in the Practical Endorsement, as well as others, can be


---

extended to allow learners to consider errors and uncertainties, and suggest improvements to procedures.

Appendix 4 provides further information on precision, accuracy and errors, as well as identifying anomalous results.

### Example questions

A researcher connects the circuit as shown to determine the resistivity of a new metal designed from waste metals. The wire has length 0.75 m and cross-sectional area  $1.3 \times 10^{-7} \text{ m}^2$ . The ammeter reading is 0.026 A and the voltmeter reading is 1.80 V.



Calculate the resistivity of the metal.

The resistivity of the metal in (c)(i) is larger than the value predicted by the researcher.

Explain one possible limitation of the experiment.

*AS Level Physics A, Sample Question Paper H156/01 question 24(c)*

---

## 4 Practical skills assessed in the Practical Endorsement

---

### Introduction to the OCR Practical Endorsement

---

In order to pass the Practical Endorsement, candidates must demonstrate by the end of the two-year A Level course that they consistently and routinely exhibit the competencies described in the Common Practical Assessment Criteria (CPAC), listed in Section 5 of the specification. These competencies must be developed through a practical programme that encompasses the skills, apparatus and techniques listed in section 1.2 of the specification, and must comprise a minimum of 12 practical activities.

In the OCR specifications, 12 Practical Activity Groups (PAGs) are presented, which provide opportunities for demonstrating competency in all required apparatus and techniques. Additionally, all of the required skills can be developed through the PAGs. Some of the required skills are explicitly included in the requirements for individual PAGs, while others can be developed as a matter of course across the full range of activities.

The PAGs have been designed so that activities can be chosen that directly support the specification content. PAG1–5 support concepts that are likely to be taught in the first year of A Level, while PAG6–9 support concepts from the second year of A Level. PAG10 and PAG11 are less scaffolded activities, designed for development of the investigative skills covered in Module 1.2.1, and can be used to bring together knowledge from across the course. Finally, PAG12 allows candidates to demonstrate research skills and apply investigative approaches, and may link in with any content from the course or beyond.

---

### Planning activities to cover the Endorsement requirements

---

#### The Practical Activity Groups

Table 1 on the next page lists the 12 Practical Activity Groups (PAGs) with the minimum of skills and use of apparatus and techniques to be covered in each. The groups have been designed to include the types of activities that will support the requirements of the Practical Endorsement, as well as the assessment of practical skills within the written examinations.

Table 1 can be used to construct a practical scheme of work that covers all requirements. Centres are not required to stick rigidly to this table, as long as overall all the requirements are covered. For example, the skills included in PAG12 could be covered as part of an activity described for another PAG, rather than as a separate activity. That is fine, as long as at least 12 activities are completed overall.

Centres are not required to cover the skills and techniques for each PAG in a single activity. Some PAGs cover a range of skills, and centres may prefer to split these out. For example, PAG5 could be covered through a series of stand-alone activities, focusing on light waves, water waves or microwaves as stand-alone practicals. Risk assessments could be completed for any or all of these.

The Common Practical Assessment Criteria (CPAC) can be applied to candidate performance across all practical work performed throughout the A Level course. It is not the intention that assessment of the Practical Endorsement should only be based on performance in 12 activities, one from each PAG. For example, if you run multiple activities involving the construction of electric circuits, candidates' performance across all these activities could be taken into account, not just their performance in an activity selected explicitly to cover PAG3.

**Table 1** Practical requirements for the OCR Physics Practical Endorsement

Practical activity group (PAG)	Techniques/skills covered (minimum)	Example of a suitable practical activity (a range of examples will be available from the OCR website and centres can devise their own activity)	Specification reference (examples)
1 Investigating motion	<ul style="list-style-type: none"> <li>• Use of appropriate analogue apparatus to measure distance, angles<sup>1</sup>, mass<sup>2</sup> and to interpolate between scale markings<sup>3</sup></li> <li>• Use of a stopwatch or light gates for timing</li> <li>• Use of ICT such as computer modelling, or data logger with a variety of sensors to collect data, or use of software to process data<sup>4</sup></li> <li>• Use of methods to increase accuracy of measurements, such as set square or plumb line</li> </ul>	Acceleration of free fall	3.1.2(b)(ii)
2 Investigating properties of materials	<ul style="list-style-type: none"> <li>• Use of calipers and micrometers for small distances, using digital or vernier scales<sup>5</sup></li> <li>• Use of appropriate analogue apparatus to measure length<sup>6</sup> and to interpolate between scale markings<sup>3</sup></li> <li>• Use of appropriate digital instruments to measure mass<sup>2</sup></li> </ul>	Determining Young's Modulus for a metal	3.4.2(d)(ii)
3 Investigating electrical properties	<ul style="list-style-type: none"> <li>• Use of appropriate digital instruments, including multimeters<sup>7</sup>, to measure current<sup>8</sup>, voltage<sup>9</sup>, resistance<sup>10</sup></li> <li>• Use calipers and micrometers for small distances, using digital or vernier scales<sup>5</sup></li> <li>• Correctly constructing circuits from circuit diagrams using DC power supplies, cells, and a range of circuit components</li> </ul>	Determining the resistivity/conductivity of a metal	4.2.4(a)(ii)

Practical activity group (PAG)	Techniques/skills covered (minimum)	Example of a suitable practical activity	Specification Reference
4 Investigating electrical circuits	<ul style="list-style-type: none"> <li>• Use of appropriate digital instruments, including multimeters<sup>7</sup>, to measure current<sup>8</sup>, voltage<sup>9</sup>, resistance<sup>10</sup></li> <li>• Correctly constructing circuits from circuit diagrams using DC power supplies, cells, and a range of circuit components, including those where polarity is important</li> <li>• Designing, constructing and checking circuits using DC power supplies, cells, and a range of circuit components</li> </ul>	Investigation of potential divider circuits	4.3.3(c)(i), 4.3.3(c)(ii)
5 Investigating waves	<ul style="list-style-type: none"> <li>• Use of appropriate analogue apparatus to measure length<sup>6</sup>, angles<sup>1</sup> and to interpolate between scale markings<sup>3</sup></li> <li>• Use of a signal generator and oscilloscope, including volts/division and time-base</li> <li>• Generating and measuring waves, using microphone and loudspeaker, or ripple tank, or vibration transducer, or microwave/radio wave source</li> <li>• Use of a laser or light source to investigate characteristics of light, including interference and diffraction</li> <li>• Use of ICT such as computer modelling</li> </ul>	Determination of the wavelength of light and sound by two source superposition with a double-slit and diffraction grating	4.4.3(a)(ii), 4.4.3(h)(ii)



Practical activity group (PAG)	Techniques/skills covered (minimum)	Example of a suitable practical activity	Specification Reference
6 Investigating quantum effects	<ul style="list-style-type: none"> <li>• Use of appropriate digital instruments, including multimeters<sup>7</sup>, to measure current<sup>8</sup>, voltage<sup>9</sup></li> <li>• Correctly constructing circuits from circuit diagrams using DC power supplies, cells, and a range of circuit components, including those where polarity is important</li> <li>• Use of a laser or light source to investigate characteristics of light, including interference and diffraction</li> <li>• Use of methods to increase accuracy of measurements</li> </ul>	Determination of Planck's constant using LEDs	4.5.1(e)(ii)
7 Investigating ionising radiation	<ul style="list-style-type: none"> <li>• Safe use of ionising radiation, including detectors</li> <li>• Use of ICT such as computer modelling, or data logger with a variety of sensors to collect data, or use of software to process data<sup>4</sup></li> </ul>	Absorption of $\alpha$ or $\beta$ or $\gamma$ radiation	6.4.3(b)(ii)
8 Investigating gases	<ul style="list-style-type: none"> <li>• Use of appropriate analogue apparatus to measure pressure, volume, temperature and to interpolate between scale markings<sup>3</sup></li> </ul>	Determining an estimate of absolute zero using variation of gas temperature with pressure	5.1.4(d)(iii)
9 Investigating capacitors	<ul style="list-style-type: none"> <li>• Use of appropriate digital instruments, including multimeters<sup>7</sup>, to measure current<sup>8</sup>, voltage<sup>9</sup>, resistance<sup>10</sup></li> <li>• Use of appropriate digital instruments to measure time</li> <li>• Designing, constructing and checking circuits using DC power supplies, cells, and a range of circuit components</li> <li>• Use of ICT such as computer modelling, or data logger with a variety of sensors to collect data, or use of software to process data<sup>4</sup></li> </ul>	Determining time constant using the gradient of $\ln V$ or $\ln I$ -time graph	6.1.3(a)(ii), 6.1.3(c)

Practical activity group (PAG)	Techniques/skills covered (minimum)	Example of a suitable practical activity	Specification Reference
10 Investigating simple harmonic motion	<ul style="list-style-type: none"> <li>• Use of appropriate digital instruments to measure time</li> <li>• Use of appropriate analogue apparatus to measure distance and to interpolate between scale markings<sup>3</sup></li> <li>• Use of methods to increase accuracy of measurements, such as timing over multiple oscillations, or use of fiduciary marker, set square or plumb line</li> <li>• Use of ICT such as computer modelling, or data logger with a variety of sensors to collect data, or use of software to process data<sup>4</sup></li> </ul>	Investigating the factors affecting the period of a simple harmonic oscillator	5.3.1(c)(ii)
11 Investigation	<ul style="list-style-type: none"> <li>• Apply investigative approaches and methods to practical work</li> </ul>	Determination of the specific heat capacity of a material	5.1.3(b)(i)
12 Research skills	<ul style="list-style-type: none"> <li>• Use online and offline research skills</li> <li>• Correctly cite sources of information</li> </ul>	<p>The principles behind the operation of the Global Positioning System</p> <p>The use of radioactive materials as tracers in medical imaging</p>	Opportunities throughout specification

<sup>1,2,3,4,5,6,7,8,9,10</sup> These techniques/skills may be covered in any of the groups indicated.

It is expected that the following skills will be developed across all activities, regardless of the exact selection of activities. The ability to:

- safely and correctly use a range of practical equipment and materials **(1.2.1 b)**
- follow written instructions **(1.2.1 c)**
- keep appropriate records of experimental activities **(1.2.1 e)**
- make and record observations/measurements **(1.2.1 d)**
- present information and data in a scientific way **(1.2.1 f)**
- use a wide range of experimental and practical instruments, equipment and techniques **(1.2.1 j)**

Table 1 refers mainly to learning outcomes in Section 1.2 of the specification. In a few instances, references are included to the Common Practical Assessment Criteria (CPAC), to ensure coverage of criteria that are not explicitly stated in the learning outcomes.

Some of the learning outcomes in Section 1.2 are generic, i.e. they could be covered in many different activities.

---

The learning outcome ‘designing, constructing and checking circuits using DC power supplies, cells and a range of electronic components’, 1.2.2(k), needs to be covered across the selection of activities.

It is expected that there will be ample opportunities to develop and demonstrate the following skills across the whole practical course, regardless of the exact selection of activities:

- safely and correctly use a range of practical equipment and materials, 1.2.1(b)
- follow written instructions, 1.2.1(c)
- make and record observations/measurements, 1.2.1(d)
- keep appropriate records of experimental activities, 1.2.1(e)
- present information and data in a scientific way, 1.2.1(f)
- use appropriate tools to process data, carry out research and report findings, 1.2.1(g)
- use a wide range of experimental and practical instruments, equipment and techniques, 1.2.1(j)

### **Practical Activity Support Service**

OCR does not require specific activities to be completed for each PAG. Centres may select activities of their own, or provided by third parties, and map these against the requirements.

Centres may contact OCR’s Practical Activity Support Service (PASS) with queries regarding selection of activities for the Practical Endorsement: [pass@ocr.org.uk](mailto:pass@ocr.org.uk)

Centres may contact the service regarding individual activities that they wish to carry out. Centres may request advice on whether

- they have correctly mapped learning outcomes / CPAC against an activity
- they have correctly selected an activity that will cover the requirements for a particular PAG.

Centres should not submit full schemes of work to the service for advice on whether the full Practical Endorsement requirements have been covered. However, queries requiring clarification of the requirements and advice on the general approach to planning are welcome.

### **Activities provided by OCR**

OCR has produced three example activities for each PAG, comprising student sheets and teacher/technician guidance. Centres may use these directly in their centres, adapt them to their requirements, or merely use them as reference for the types of activity that would satisfy the criteria for each PAG and the Endorsement as a whole.

The example activities are available on Interchange. See Appendix 9 for details on how to access them.

Table 2 lists the activity titles of the OCR example activities for A Level Physics.

**Table 2** PAG activities provided by OCR

Activities in PAG7 to PAG12 will be confirmed by September 2015.

<b>PAG1</b>	<b>PAG7</b>
1.1 Comparing methods of determining $g$ 1.2 Investigating Terminal Velocity 1.3 Investigating the effect of initial speed on stopping distance	7.1 Observing the random nature of radioactive decay 7.2 Investigate the absorption of alpha, beta & gamma by differing materials 7.3 Determine half life (using an ionisation chamber)
<b>PAG2</b>	<b>PAG8</b>
2.1 Determining Young Modulus for a Metal 2.2 Connecting springs in series and parallel 2.3 Investigating the properties of a plastic bag	8.1 Estimate a value for absolute zero using variation of gas pressure with temperature 8.2 Experiment on Boyle's law (and application use of gases in pneumatic actuators) 8.3 Investigating work done by a temperature change
<b>PAG3</b>	<b>PAG9</b>
3.1 Investigation to determine the resistivity of a Metal 3.2 Investigating Electrical Characteristics 3.3 Determining the maximum power available from a cell	9.1 Determine the time constant for an RC circuit using the gradient of a $\ln$ graph of discharge of $V$ or $I$ 9.2 Investigating capacitors in series and parallel 9.3 Determining the permittivity of air
<b>PAG4</b>	<b>PAG10</b>
4.1 Investigating Combinations of Resistors and their use in Potential Divider Circuits 4.2 Investigating circuits with more than one source of e.m.f. 4.3 Using non-ohmic devices as sensors	10.1 Investigate the factors affecting the period of a simple harmonic oscillator 10.2 Investigating the damping of simple harmonic motion 10.3 Comparison of static and dynamic methods of determining $k$ for a spring
<b>PAG5</b>	<b>PAG11</b>
5.1 Determining the Wavelength of Light with a Diffraction Grating 5.2 Determining the speed of sound in air using a resonant tube 5.3 Determining frequency and amplitude of a wave using an oscilloscope	11.1 Determining specific heat capacity of a material 11.2 Investigating circular motion 11.3 Investigating the force on a current carrying conductor in a magnetic field/ determining $B$ for a magnet 11.4 Investigating induced emf (including transformers)
<b>PAG6</b>	<b>PAG12</b>
6.1 Determining the Planck constant 6.2 Experiments with light 6.3 Experiments with polarisation	12.1 Prepare a presentation on the properties of a material and how they match it to a particular use 12.2 Identify the properties of carbon fibre and determine benefits and disadvantages for their use in F1 brakes 12.3 Research a topic of the students choice which extends their knowledge of A level physics

---

## Tracking achievement

---

### Requirements for record keeping

Centres will be required by OCR to provide the following information to a Monitor on any potential monitoring visit (see following section for monitoring arrangements):

- Plans to cover all practical requirements, such as a scheme of work to show how sufficient practical activities will be carried out to meet the requirements of CPAC, incorporating all the skills and techniques required over the course of the A Level.
- A record of each practical activity that is carried out and the date it was done.
- A record of the criteria assessed in each practical activity.
- A record of learner attendance.
- A record of which learners met which criteria and which did not.
- Evidence of learners' work associated with particular tasks, such as records of observations/measurements and associated calculations and conclusions, background research carried out, notes of any planning activity or modifications made to provided procedures, etc.
- Any associated materials provided e.g. written instructions.

Centres are free to choose the method of evidencing learners' work that best suits them, taking into consideration any constraints in a particular centre, e.g. large cohort, budget.

Possible suitable methods include the use of a lab book, a folder of relevant sheets or a collection of digital files.

PAG activities provided by OCR will provide instructions as to the types of evidence required depending on the nature of the particular activity.

### The PAG tracker

OCR has developed an Excel spreadsheet that can be used to track the progress of a class through the Practical Endorsement. This tool has a number of functions and is designed to be used alongside the PAG activities provided by OCR. These activities and the tracker can be found on Interchange.

Teachers can use the PAG tracker by firstly entering their class data into the spreadsheet. The OCR PAG activities have all been mapped to the skills, techniques and Common Practical Assessment Criteria that need to be covered or considered when tracking the progress of students through their practical activities. This then means that it is only necessary to enter the date that a particular activity is completed for

- all learners to be recorded as present, and
- the skills, techniques and criteria covered by that activity to be recorded as achieved by all students.

If any learner is absent, or fails to demonstrate competency in an element of the activity, it is very easy to change that cell to absent or not achieved as appropriate.

Other functions include being able to check which skills, techniques and criteria a particular activity covers, being able to find an activity that covers particular skills, techniques and criteria and the ability to look at a whole class in terms of how many times they have achieved particular skills, techniques and criteria.

---

It is possible to enter and map practical activities that centres have developed themselves so the tracker is very flexible in terms of the activities carried out. If a centre would like any advice about the mapping of practical activities, then they will be able to get in touch with the Science Subject Specialists at OCR by emailing the Practical Activity Support Service at [pass@ocr.org.uk](mailto:pass@ocr.org.uk)

It is suggested that Centres use the tracker as evidence for items 2–5 of the list of record keeping information above. This therefore means that along with a scheme of work, any student sheets used and the learner's evidence, the internal monitoring of the Practical Endorsement should be very easy to administer.

## Monitoring arrangements

---

### Monitoring visits

All centres will receive one monitoring visit in one of the sciences offered by that centre in the first two years of teaching (from September 2015). The frequency of visits will reduce thereafter, subject to confirmation by Ofqual.

The purpose of the monitoring process is to ensure that centres are planning and delivering appropriate practical work, and making and recording judgements on learner competences to meet the required standards.

On the day of the visit the monitor will:

- observe a practical activity
- review the records kept by the centre and by learners (see Tracking achievement above)
- talk with staff and learners.

Following the visit, the monitor will complete a record of the visit, which will be copied to the centre. The record will state whether the monitor is satisfied whether the centre is meeting the requirements for the Practical Endorsement. The report may additionally offer guidance on improvements that could be made.

Should a centre dispute the outcome of a monitoring visit, a repeat visit by an alternative monitor may be requested.

### Arrangement of visits

Centres must register in September of each year

- which awarding organisation they intend to deliver for each science A Level (this will not commit the centre to final examination entry)
- the name of the lead teacher for each science A Level being delivered.

The centres which will be visited will be determined each year and for which science. The respective awarding organisations are informed which centres they are to visit. Centres offering OCR qualifications will therefore receive a visit from a monitor appointed by OCR.

The monitor will contact the centre to arrange a visit within two to four weeks. The centre must supply the monitor with

- timetable information for the agreed date to allow the monitor to identify a practical lesson to observe

---

## Standardisation

Lead teachers for each subject are required to undertake training provided by OCR on the implementation of the Practical Endorsement. This will be an online training package that can be completed by the lead teacher in their own time. Further details are to be confirmed at the time of writing.

The lead teacher is responsible for sharing the information provided in the training with the other subject teachers in the centre, to ensure standards are applied appropriately across the range of candidates within the centre.

## Assessing the Practical Endorsement

---

The Practical Endorsement is directly assessed by teachers. The assessment is Pass/Not Classified.

In order to achieve a **pass**, students will need to have met the expectations set out in the Common Practical Assessment Criteria (see Table 2 in the specification, Appendix 5). Candidates can demonstrate these competencies in any practical activity undertaken throughout the course of study. The 12 Practical Activity Groups (PAGs) described in the specification provide opportunities for demonstrating competence in all required skills, together with the use of apparatus and practical techniques for each subject.

Candidates may work in groups, but must be able to demonstrate and record independent evidence of their competency. This must include evidence of independent application of investigative approaches and methods to practical work.

Teachers who award a pass need to be confident that the candidate consistently and routinely exhibits the required competencies before completion of the A Level course.

## Access arrangements

---

There are no formal access arrangements for the Practical Endorsement.

Centres may make reasonable adjustments to their planned practical activities to allow candidates with disabilities to participate in practical work. Where such adjustments allow these candidates to independently demonstrate the competencies and technical skills required, without giving these candidates an unfair assessment advantage, centres may award a Pass for the Practical Endorsement.

For example, candidates who are colour blind can use colour charts to help them identify colour changes. Alternatively, practical activities can be selected that involve changes that such candidates are able to observe without such assistance.

Candidates who are not physically able to perform practical work independently cannot achieve the Practical Endorsement. However, they can access all the marks within the written examinations, and will benefit from having been given the opportunity to experience all practical work, perhaps with the help of a practical assistant.

## 5 Planning your practical scheme of work

In planning the practical scheme of work, centres need to ensure sufficient opportunities are provided to support candidates' development of understanding and skill in the following areas:

- practical skills assessed in the written examinations (identified in specification Section 1.1)
- practical techniques and procedures assessed in the written examinations (identified throughout the content modules in the specification)
- practical skills assessed through the Practical Endorsement (identified in specification Section 1.2, for A Level only)
- conceptual understanding which can be supported through practical work.

This section presents an approach to planning a practical scheme of work that takes into account all of the above, helping to ensure that all bases are covered. The information in this section is presented for guidance only; there is no prescribed approach.

### An approach to planning

---

On the following pages, sample tables are presented for each of the specifications (Physics A and Physics B (Advancing Physics)), which could be used as a starting point for planning the practical scheme of work within centres. The structure of the tables is informed by one possible approach to planning:

1. Identify the learning outcomes within the specification that relate to knowledge and understanding of practical techniques and procedures.
2. Identify which of these learning outcomes relate to Practical Activity Groups, so that carrying out practical work in support of these learning outcomes will also meet certain requirements within the Practical Endorsement. For both GCE Physics specifications, PAGs 1–11 relate to activity types that will also directly support learning outcomes assessed in the written examinations.
3. Select practical activities that will adequately cover the requirements identified so far.
4. Consider how to incorporate coverage of PAG12. The research, citation and investigative skills covered in PAG 12 may be developed in the context of any topic in the specification (or beyond). You may elect to
  - a. develop these skills in an area not already included in the PAGs
  - b. use this type of activity to give additional support in an area of practical activity already covered
  - c. run this type of activity as a 'mini-investigation', giving candidates some freedom of choice of topic.
5. Identify how the chosen practical activities can be used to support development of the practical skills assessed in the written examinations. Modify the choice of activities, or add activities, if more support is required.
6. Identify how the chosen practical activities can be used to support other learning outcomes within the specification. Again, if insufficient opportunities have been identified, consider modifying the choice of activities or adding additional activities.



---

Note that a much wider range of practical work can be carried out than is suggested by the learning outcomes specifically related to practical techniques and procedures.

The learning outcomes related to techniques and procedures form just one potential starting point for planning the practical scheme of work. It is equally possible to begin by considering the work you wish to carry out to support conceptual understanding, and then checking that other requirements have been covered. Alternatively, you could begin by planning sufficient work to cover the requirements of the Practical Endorsement.

## Sample planning tables

The following sample tables are also available as editable Word files on Interchange.

The **Activities** column is left blank for centres to complete. This reflects the fact that OCR does not specify particular practical activities that need to be carried out.

The **Examinable skills** column suggests which practical skills assessed in the written examinations could be developed in the context of particular types of activities. This is a non-prescriptive and non-exhaustive list; centres should adjust this information according to their selected activities and their overall scheme of work.

Certain skills may be expected to form part of any practical activity. These are not explicitly referenced in the table, and include:

- presenting observations and data
- processing and interpreting results.

Certain other skills could be developed in almost any practical activity. These include:

- experimental design
- evaluation of method
- evaluating results
- identifying limitations in procedures.

However, there are certain types of procedure that particularly lend themselves to developing problem solving and evaluation skills, and these have been identified in the tables.

Finally, certain skills will be limited to certain types of activity. This primarily concerns skills related to recording, processing and evaluating quantitative measurements, and the controlling of variables. Opportunities for developing these skills are identified in the tables.

The **Other LOs supported** column can be used to identify other learning outcomes within the specification that can be taught through the practical activities. Again, the opportunities identified in the sample tables are non-prescriptive and non-exhaustive.

## Physics A sample planning table

Learning outcome	PAG	Activity	Examinable skills	Other LOs supported
<b>3.1.2 (b)</b> acceleration $g$ of free fall and its experimental determination using a falling object	1.1	Comparing methods of determining $g$	<b>1.2.1(b)(c)(d)(e)(g)</b> <b>1.2.2(a)(c)(d)(k)</b>	<b>3.1.1(a), 3.1.2(a)</b>
<b>3.2.2 (c)</b> motion of objects falling in a uniform gravitational field in the presence of drag	1.2	Investigating Terminal Velocity	<b>1.2.1(c)(d)(e)(f)</b> <b>1.2.2(a)(b)(c)(d)(e)</b>	<b>3.1.1(a)(b)(c)</b> <b>3.1.2(a)(b)(d)</b>
<b>3.1.2 (a)(ii)</b> techniques and procedures used to investigate the motion and collisions of objects	1.3	Investigating the effect of initial speed on stopping distance	<b>1.2.1(b)(c)(d)(e)(f)(g)(h)(i)</b> <b>1.2.2(a)(d)(k)</b>	<b>3.1.1(a)(b)(c),</b> <b>3.3.1(b),</b> <b>3.3.2(a)</b>
<b>3.4.2(c)</b> stress, strain and ultimate tensile strength	2.1	Determining Young Modulus for a Metal	<b>1.2.1(b)(c)(d)(e)(f)(g)(h)(i)</b> <b>1.2.2(a)(b)(c)(e)</b>	<b>3.4.2(d)</b>
<b>3.4.1(d)(ii)</b> techniques and procedures used to investigate force–extension characteristics for arrangements which may include springs, rubber bands, polythene strips	2.2	Connecting springs in series and parallel	<b>1.2.1(c)(d)(e)(f)</b> <b>1.2.2(a)(b)(c)(e)</b>	<b>3.4.1(a)(b)(c)</b> <b>3.4.2(c)(d)(f)</b>
<b>3.4.2(c)</b> stress, strain and ultimate tensile strength	2.3	Investigating the properties of a plastic bag	<b>1.2.1(b)(c)(d)(e)(f)(j)</b> <b>1.2.2(a)(b)(c)(e)</b>	<b>3.4.1(a)(b)(d)</b> <b>3.4.2(c)(e)(f)</b>
<b>4.2.4(a)</b> Resistivity and the equation $R = \rho L/A$	3.1	Investigation to determine the resistivity of a Metal	<b>1.2.1(b)(c)(d)(h)(i),</b> <b>1.2.2(b)(e)(f)(k)</b>	<b>4.2.3(a)(b)(c)</b>
<b>4.2.3(c)(ii)</b> techniques and procedures used to investigate the electrical characteristics for a range of ohmic and non-ohmic components	3.2	Investigating Electrical Characteristics	<b>1.2.1(a)(b)(c)(d)(e)(f)(j)</b> <b>1.2.2(b)(f)(g)</b>	<b>4.2.1(a)(b),</b> <b>4.2.2(a),</b> <b>4.2.3(a)(b)(c)(i),</b> <b>4.3.3(a)</b>
<b>4.3.2(c)(ii)</b> techniques and procedures used to determine the internal resistance of a chemical cell or other source of e.m.f.	3.3	Determining the maximum power available from a cell	<b>1.2.1(a)(b)(c)(d)(e)(f)(g)(j)</b> <b>1.2.2(b)(f)</b>	<b>4.2.2(a)(b)(c),</b> <b>4.2.3(a),</b> <b>4.2.5(a),</b> <b>4.3.1(e),</b> <b>4.3.2(a)(b)(c)(i)</b>
<b>4.3.1(c)(d)(e)</b> analysis of circuits with components including both	4.1	Investigating Combinations of	<b>1.2.1(a)(b)(c)(d)(e)(f)(j)</b>	<b>4.2.1(a)(b), 4.2.2(a)</b>

Learning outcome	PAG	Activity	Examinable skills	Other LOs supported
series and parallel		Resistors and their use in Potential Divider Circuits	1.2.2(b)(g)	4.3.3(a)(c)
4.3.1(f) analysis of circuits with more than one source of e.m.f	4.2	Investigating circuits with more than one source of e.m.f.	1.2.1(a)(b)(c)(d)(e)(f)(j) 1.2.2(b)(f)(g)(k)	4.1.1(g) 4.2.1(a)(b) 4.2.2(a)(b)(c) 4.3.1(a)(b)(e) 4.3.2(a)(b)(c)(i)(ii)
4.3.3(c)(ii) techniques and procedures used to investigate potential divider circuits which may include a sensor such as a thermistor or an LDR	4.3	Using non-ohmic devices as sensors	1.2.1(a)(b)(d)(e)(f)(j) 1.2.2(a)(b)(g)	4.2.1(a)(b), 4.2.2(a), 4.2.3(c)(i)(ii)(d), 4.2.4(c), 4.3.1(c)(e), 4.3.3(a)(b)(c)(i)
5.5.2(g)(h) determining the wavelength of light using transmission diffraction grating	5.1	Determining the Wavelength of Light with a Diffraction Grating	1.2.1(b)(c)(d) 1.2.2(a)(j)	4.4.3(c)(d)
4.4.4(e)(ii) techniques and procedures used to determine the speed of sound in air by formation of stationary waves in a resonance tube	5.2	Determining the speed of sound in air using a resonant tube	1.2.1(b)(c)(d)(e)(f)(j) 1.2.2(a)(c)(f)(h)(i)	4.4.1(b)(i)(ii)(c)(d), 4.4.4(a)(b)(f)
4.4.1(b)(ii) techniques and procedures used to use an oscilloscope to determine frequency	5.3	Determining frequency and amplitude of a wave using an oscilloscope	1.2.1(b)(c)(d)(e)(f)(j) 1.2.2(a)(h)(f)(i)	4.4.1(b)(i)(c)
4.5.1(a)(b)(c)(d)(e) Photons, Planck constant and energy eV	6.1	Determining the Planck constant	1.2.1(b)(c)(h)(i) 1.2.2(b)(c)(f)	
4.4.2(d)(ii) techniques and procedures used to investigate refraction and total internal reflection of light using ray boxes, including transparent rectangular and semi-circular blocks	6.2	Experiments with light	1.2.1(c)(d)(e)(f)(j) 1.2.2(a)(c)(i)(j)	4.4.1(f)(i), 4.4.2(d)(i)(ii)(e)
4.4.1(f)(iii) techniques and procedures used to observe polarising effects using microwaves and light	6.3	Experiments with polarisation	1.2.1(c)(d)(e)(f)(j) 1.2.2(a)(b)(i)(j)	4.4.1(f)(i) 4.4.2(c)

## Physics B (Advancing Physics) sample planning table

Learning outcome	PAG	Activity	Examinable skills	Other LOs supported
<b>4.2 d(ii)</b> determining the acceleration of free fall, using trapdoor and electromagnetic arrangement, light gates or video technique	1.1	Comparing methods of determining g	<b>1.2.1(b)(c)(d)(e)(g)</b> <b>1.2.2(a)(c)(d)(k)</b>	<b>4.2(a)(iv)(c)(iii)</b>
<b>4.2 d(iii)</b> investigating terminal velocity with experiments such as dropping a ball-bearing in a viscous liquid or dropping paper cones in air.	1.2	Investigating Terminal Velocity	<b>1.2.1(c)(d)(e)(f)</b> <b>1.2.2(a)(b)(c)(d)(e)</b>	<b>4.2(a)(vii)(b)(ii)(c)(iii)</b>
<b>4.2 d(i)</b> investigate the motion of objects with data obtained from data-loggers	1.3	Investigating the effect of initial speed on stopping distance	<b>1.2.1(b)(c)(d)(e)(f)(g)(h)(i)</b> <b>1.2.2(a)(d)(k)</b>	<b>4.2(a)(iv)(vii)</b> <b>4.2(b)(i)(ii)(c)(vii)(viii)</b>
<b>3.2d(ii)</b> Experiment to determine Young Modulus	2.1	Determining Young Modulus for a Metal	<b>1.2.1(b)(c)(d)(e)(f)(g)(h)(i)</b> <b>1.2.2(a)(b)(c)(e)</b>	<b>3.2a(iv)(b)(i)(ii)(iii)(c)(ii)</b>
<b>3.2a(i)</b> simple mechanical behaviour: elastic and plastic deformation and fracture	2.2	Connecting springs in series and parallel	<b>1.2.1(c)(d)(e)(f)</b> <b>1.2.2(a)(b)(c)(e)</b>	<b>3.2(b)(i)(ii)(c)(ii)</b>
<b>3.2a(iii)</b> behaviour/structure of classes of materials - polymer behaviour in terms of chain entanglement/unravelling	2.3	Investigating the properties of a plastic bag	<b>1.2.1(b)(c)(d)(e)(f)(j)</b> <b>1.2.2(a)(b)(c)(e)</b>	<b>3.2(a)(i)(iii)(b)(i)(d)(i)</b>
<b>3.1.2d(ii)</b> Experiment to determine the resistivity of a metal	3.1	Investigation to determine the resistivity of a Metal	<b>1.2.1(b)(c)(d)(h)(i),</b> <b>1.2.2(b)(e)(f)(k)</b>	<b>3.1.2(b)(i)(ii)(c)(iii)</b>
<b>3.1.2(d)(i)</b> investigating electrical characteristics for a range of ohmic and non-ohmic components using voltmeters and ammeters	3.2	Investigating Electrical Characteristics	<b>1.2.1(a)(b)(c)(d)(e)(f)(j)</b> <b>1.2.2(b)(f)(g)</b>	<b>3.1.2(a)(vi)(vii)(b)(ii)(iii)(c)(i)</b>
<b>3.1.2d(v)</b> determining the internal resistance of a chemical cell or other source of e.m.f.	3.3	Determining the maximum power available from a cell	<b>1.2.1(a)(b)(c)(d)(e)(f)(g)(j)</b> <b>1.2.2(b)(f)</b>	<b>3.1.2(a)(iii)(iv)(v)(b)(iii)(c)(i)</b>
<b>3.1.2c(iii)</b> simple cases of a potential divider in a circuit	4.1	Investigating Combinations of Resistors and their use in Potential Divider Circuits	<b>1.2.1(a)(b)(c)(d)(e)(f)(j)</b> <b>1.2.2(b)(g)</b>	<b>3.1.2(a)(iii)(vii)(b)(ii)(c)(ii)</b>
<b>3.12d(v)</b> determining the internal resistance of a chemical cell or other source of e.m.f.	4.2	Investigating circuits with more than one source of e.m.f.	<b>1.2.1(a)(b)(c)(d)(e)(f)(j)</b> <b>1.2.2(b)(f)(g)(k)</b>	<b>3.1.2(a)(i)(iii)(iv)(vii)</b> <b>3.1.2(b)(ii)(c)(ii)</b>

Learning outcome	PAG	Activity	Examinable skills	Other LOs supported
<b>3.1.2(d)(iii)</b> use of potential divider circuits, which may include sensors such as thermistors and LDRs	4.3	Using non-ohmic devices as sensors	<b>1.2.1(a)(b)(d)(e)(f)(j)</b> <b>1.2.2(a)(b)(g)</b>	<b>3.1.2(a)(iii)(vii)</b> <b>3.1.2(b)(ii)(iii)(c)(ii)(d)(iv)</b>
<b>4.1a(v)</b> diffraction by grating	5.1	Determining the Wavelength of Light with a Diffraction Grating	<b>1.2.1(b)(c)(d)</b> <b>1.2.2(a)(j)</b>	<b>4.1(c)(iii)</b>
<b>4.1d(v)</b> determining the speed of sound in air by formation of stationary waves in a resonance tube	5.2	Determining the speed of sound in air using a resonant tube	<b>1.2.1(b)(c)(d)(e)(f)(j)</b> <b>1.2.2(a)(c)(f)(h)(i)</b>	<b>4.1(a)(i)(c)(i) (iii)(d)(i)</b>
<b>4.1d(i)</b> using an oscilloscope to determine frequencies	5.3	Determining frequency and amplitude of a wave using an oscilloscope	<b>1.2.1(b)(c)(d)(e)(f)(j)</b> <b>1.2.2(a)(h)(f)(i)</b>	<b>3.1.2(v), 4.1(b)(i)</b>
<b>4.1c(iv)</b> the energy carried by photons across the spectrum $E = hf$	6.1	Determining the Planck constant	<b>1.2.1(b)(c)(h)(i)</b> <b>1.2.2(b)(c)(f)</b>	<b>4.1(a)(vi)</b>
<b>3.1.1d(i)</b> determination of power or focal length of a converging lenses <b>4.1d(ii)</b> determining refractive index for a transparent block	6.2	Experiments with light	<b>1.2.1(c)(d)(e)(f)(j)</b> <b>1.2.2(a)(c)(i)(j)</b>	<b>3.1.1b(i)(c)(ii)(iii),</b> <b>4.1(a)(iii)(c)(iii)</b>
<b>3.1.1d(ii)</b> observing polarising effects using microwaves and light	6.3	Experiments with polarisation	<b>1.2.1(c)(d)(e)(f)(j)</b> <b>1.2.2(a)(b)(i)(j)</b>	<b>3.1.1(a)(b)(i)(d)(ii)</b>

# Appendix 1: Health and safety

This appendix provides information on Health and Safety issues while carrying out practical experiments.












**Before carrying out any experiment or demonstration based on this guidance, it is the responsibility of teachers to ensure that they have undertaken a risk assessment in accordance with their employer's requirements, making use of up-to-date information and taking account of their own particular circumstances. Any local rules or restrictions issued by the employer must always be followed.**

Useful information can be found at [www.cleapss.org.uk](http://www.cleapss.org.uk) (available to CLEAPSS members only).

## Hazard labelling systems

The CLP regulations were launched in 2010, and fully implemented across the EU in 2015. The 'CHIP' system is no longer in active use, but some older containers may still carry the CHIP symbols, and learners may come across them in older reference works. It is important that learners are taught to use both systems, particularly if centres are still using chemicals carrying CHIP hazard symbols. While in the physics classroom (dangerous) chemicals are not routinely used, it is important for both staff and learners to be familiar with the hazard labels.

OCR recognises the CLP system as the default system in current use. OCR resources indicate hazards using the CLP system.

	Oxidising		Toxic	<p>CLP pictograms are also accompanied by a 'signal word' to indicate the severity of the hazard.</p> <p>'DANGER' for more severe; 'WARNING' for less severe.</p>
	Highly flammable		Indicates that the chemical could cause serious <i>long term</i> health effects.	
	Corrosive		Indicates less serious health hazards (e.g. skin irritants).	
	Oxidising		Toxic	<p>'CHIP' system (being phased out)</p>
	Highly Flammable		Harmful or Irritant	
	Corrosive			

---

## Non-Ionising Radiation

The light from lasers and high-power LEDs is classed as non-ionising radiation and the use of these light sources may cause significant risk of serious, irreversible eye or skin damage. In the UK, according to BS EN 60825-1:2007, there are 7 classes of lasers: 1, 1M, 2, 2M, 3R, 3B and 4. A class 1 laser poses the lowest risk, class 4 the highest. In the USA and other countries different standards are used, and these lasers are not recommended for use in the UK classroom.

Lasers should only be acquired from reputable suppliers and have all relevant warning labels and certifications. Laser pointers sold online may have a power greatly exceeding their labelling and may lack essential safety features and may be especially dangerous.

CLEAPSS publishes guidance on the use of lasers in the classroom on their website, <http://www.cleapss.org.uk/attachments/article/0/PS52.pdf> and strongly advises only Class 1 or 2 lasers are used in a classroom setting. Other classes including Class 1M and 2M present an unacceptable risk.

## Ionising Radiation

If radioactive substances are to be used during practicals adequate protection for all students and staff is essential. Guidance is given by CLEAPSS

<http://www.cleapss.org.uk/download/L93.pdf>

## Electrical Safety

The use of electrical equipment poses risks of fatal injury if mishandled. Discussing the full regulations is beyond the scope of the current document. CLEAPSS publishes guidance on this important topic

<http://www.cleapss.org.uk/attachments/article/0/Sec06.pdf>

## Risk assessments

In UK law, health and safety is the responsibility of the employer. Employees, i.e. teachers, lecturers and technicians, have a duty to cooperate with their employer on health and safety matters. Various regulations, but especially the COSHH Regulations 2002 and the Management of Health and Safety at Work Regulations 1999, require that before any activity involving a hazardous procedure or harmful micro-organisms is carried out, or hazardous chemicals are used or made, the employer must provide a risk assessment. A useful summary of the requirements for risk assessment in school or college science can be found at

<http://www.ase.org.uk/resources/health-and-safety-resources>

For members, the CLEAPSS guide, *Managing Risk Assessment in Science*\* offers detailed advice. Most education employers have adopted a range of nationally available publications as the basis for their Model Risk Assessments. Those commonly used include:

- *Safety in Science Education*, DfEE, 1996, HMSO, ISBN 0 11 270915 X.

Now out of print but sections are available at

<http://www.ase.org.uk/resources/health-and-safety-resources>;

- *Topics in Safety*, 3rd edition, 2001, ASE ISBN 0 86357 316 9;
- *Safeguards in the School Laboratory*, 11th edition, 2006, ASE ISBN 978 0 86357 408 5;
- CLEAPSS *Hazcards*.\*

CLEAPSS are in the process of updating the *Hazcards*, the latest edition being the CLP Edition, 2014. At present, CLP Hazcards have only been published for some chemicals. For other chemicals, the CHIP Hazard is referenced and should be consulted.

- 
- CLEAPSS Laboratory Handbook\*;
  - *Hazardous Chemicals*, A Manual for Science Education, 1997, SSERC Limited ISBN 0 9531776 0 2.

Where an employer has adopted these or other publications as the basis of their model risk assessments, the teacher or lecturer responsible for overseeing the activity in the school or college then has to review them, to see if there is a need to modify or adapt them in some way to suit the particular conditions of the establishment.

Such adaptations might include a reduced scale of working, deciding that the fume cupboard provision is inadequate or the skills of the candidates are insufficient to attempt particular activities safely. The significant findings of such risk assessment should then be recorded, for example on schemes of work, published teachers' guides, work sheets, etc. There is no specific legal requirement that detailed risk assessment forms should be completed, although a few employers require this.

Where project work or individual investigations, sometimes linked to work-related activities, are included in specifications this may well lead to the use of novel procedures, chemicals or microorganisms, which are not covered by the employer's model risk assessments. The employer should have given guidance on how to proceed in such cases. Often, for members, it will involve contacting CLEAPSS (or, in Scotland, SSERC).

\*These, and other CLEAPSS publications, are on the CLEAPSS website. Note that CLEAPSS publications are only available to members. For more information about CLEAPSS - go to [www.cleapss.org.uk](http://www.cleapss.org.uk). In Scotland, SSERC ([www.sserc.org.uk](http://www.sserc.org.uk)) has a similar role to CLEAPSS.



---

## Appendix 2: Apparatus list

This appendix lists the apparatus likely to be required in order to complete a practical scheme of work that covers all requirements of the qualification. Teachers and technicians should bear in mind that activities that would support the qualification may require additional apparatus not on this list. Resources provided by OCR detail the apparatus needed for individual activities.

### Apparatus

The following apparatus is required to complete all the available activities covering all techniques required by the first year of the Practical Endorsement in GCE Physics (Section 1.2.2 of the specification). It should be noted that centres are required to carry out a minimum of 12 practical activities over two years. OCR have provided 18 alternatives for the first year and will provide a total of 36 alternatives for the full two years.

### Mechanical Components

- Metre rules
- Stands
- Bosses
- Clamps
- Wooden block
- Masses, including 100g and 1kg
- Mass holder
- Material clamps
- Bench pulley
- Springs
- G clamps
- Drawing pins
- Steel ball bearings
- Fibre board mat
- Tube or tall measuring cylinder
- Measuring cylinders
- Beakers
- Ruler and protractor
- Calipers or vernier measurement system
- Micrometre screw gauge
- Magnet

### Electronic Equipment

- Variable Power Supply
- Voltmeter

- Ammeter
- Digital multimeter
- Resistance Decade Box
- Oscilloscope
- Stopwatch
- Signal generator
- Loudspeaker
- Mass balance
- Data logging system
- 2 light-gates
- Stop clock
- Interrupt card

### **Electronic Components**

- Resistors
- Potentiometer
- Rheostat
- LDR
- Thermistor NTC
- Diode
- Variety of different coloured light-emitting diodes
- Leads
- swg 28 constantan wire
- Crocodile clips
- Switch
- Low voltage lamps (1.25 to 2.5V torch bulbs)

### **Optical Components**

- Ray box or similar light source
- Microwave emitter and receiver
- Laser suitable for classroom use
- Diffraction grating of known lines per mm
- Semi-circular glass or plastic block
- Optical pins
- transparent rectangular block
- lenses with at least two differing focal lengths
- Lens stands
- Plain white screen
- Three polarising filters (can be lenses from 3D glasses or sunglasses)

- 
- Polarising grid for microwaves

### **Consumables**

- D Cell Batteries and holder
- Card or black paper
- Plastic bags (various types)
- Plasticine
- Bun-case
- Test wire (for example 28 swg copper)
- Photocopied sheets with protractor scale
- Viscous liquid
- Paper towels
- Bun cases
- Elastic bands

### **PPE**

- Safety goggles

### **Additional requirements**

In order to fulfil the requirements of the skills set out in Section 1.2.1 of the specification, candidates will require access to the following.

- Data logging software
- Graph plotting and data analysis software (e.g. Microsoft Excel)
- Textbooks, websites and other sources of scientific information
- A means of recording practical activity undertaken towards the Practical Endorsement, for example a logbook, binder to collect loose sheets, or means to create and store digital files
- Chemical data or hazard sheets

## Appendix 3: Guidance on practical skills

Section 1.2.1 of the specification covers the general practical skills which candidate should develop and practice during their course. This appendix includes suggestions about how this process of skills development can be managed.

This section provides guidance which teachers can use to assist how they teach the required skills, as well as things to look out for in assessing whether candidates are performing the skills competently. This section is not intended as a 'mark scheme', or statement of the minimum standard required for a pass in individual activities.

### Practical skills (specification Section 1.2.1)

#### 1.2.1(a) apply investigative approaches and methods to practical work

Candidates are expected to be able to think independently about solving problems in a practical context. This means that candidates should develop their own ideas about how to approach a task, before perhaps discussing them with other candidates and joining together as a group to put an agreed plan into effect.

Demonstrating investigative approaches could include:

- choosing the materials, or amounts of materials, to use
- choosing which variables to measure and which to control
- deciding what measurements or observations to make and when to make them
- choosing apparatus and devising a procedure that is safe and appropriate.

Applying investigative approaches should include completing tasks that do not include complete step by step instructions. However, activities may still be structured in some form. For example:

- providing a basic method, with candidates asked to modify this to measure the effect of changing a certain variable
- providing a limited range of equipment, with candidates asked to think about how they can use what they have been given to solve a practical problem
- providing a certain amount of information, allowing candidates to consider how to use familiar techniques or procedures to investigate and solve a problem.

#### 1.2.1(b) safely and correctly use a range of practical equipment and materials

Candidates should be shown how to use practical equipment when it is first met, though a demonstration by the teacher or technician. Good quality videos of many techniques are available online which could be used to complement such a demonstration (see e.g. links in Appendix 8: Resources).

Hazards, and the ways in which risks should be minimised, should be explicitly explained to candidates whenever equipment is used for the first time, and on subsequent occasions as required. Candidates should also be shown how to handle equipment and materials safely so they adopt a standard routine whenever they need to use these. Some pieces of equipment or procedures are associated with particular hazards and candidates should be clearly shown how they need to be handled to minimise the risk involved. In some cases, the hazards may be such that it is good practice for candidates perform the practical work under the direct supervision of the teacher.

---

Increasingly, candidates should be able to use common laboratory equipment safely with minimal prompting. They should be doing this routinely and consistently by the end of the course.

Candidates will be expected to be able to identify hazards and understand how to minimise risk. This skill can be developed by asking them to devise their own risk assessments. The risk assessment should identify the hazards associated with materials and techniques that candidates will be using, and describe the steps that they will take to minimise the risks involved. Teachers should always check risk assessments and make sure candidates are aware of any errors or omissions before they begin the practical activity.

Risk assessments have been included in the OCR Practical Endorsement structure as part of PAG7, radioactive materials frequently offer a number of different types of hazard to consider. However, candidates could demonstrate this skill in the context of any type of activity. Performing a risk assessment also gives the opportunity to demonstrate research and citation skills.

More detail about the safe use of equipment and materials is given in Appendix 1: Health and safety.

### **1.2.1(c) follow written instructions**

In many activities candidates will be asked to follow written instructions. It is helpful if they are first given the aims of the activity so they are clear what is expected of them and what they should expect to learn from the activity. An introduction is also a good idea so that candidates can fit what they are doing into a bigger picture.

It is quite common for candidates to be given too much information and be asked to do too many things at the same time. Research suggests that when many candidates follow complex instructions they are not able to think about the theoretical implications and explanations of their task at the same time. It is probably better to focus on these issues before and after the practical task itself. Providing candidates with instructions to look through before the practical session allows them to think about what is needed and to visualise what they will do in advance of the practical session.

### **1.2.1(d) make and record observations and measurements**

Candidates need to be able to make measurements using a range of equipment. Since some of these types of measurement are used frequently, teachers might assume a competence in using familiar devices when the appropriate skill has not yet been sufficiently developed. Taking measurements is a skill that should be clearly demonstrated to candidates.

See Appendix 4: Measurements and Appendix 5: Units for more detail about how to record measurements appropriately.

Observations should be recorded using appropriate scientific vocabulary and should be precise. Candidates can have a tendency to use vague and ambiguous language. Asking candidates to comment on good and less good practice in recording observations is a good way of raising awareness of these issues. Examples of ambiguous or incorrect language include:

- mentioning energy conversion, without specifying the type of energy (e.g. ‘the ball increases in velocity when dropped due to the conversion of energy’ instead of ‘when the ball is dropped gravitational potential energy is converted to kinetic energy increasing the velocity of the ball as it drops’).
- giving an example of a limitation without sufficient detail (e.g. ‘the time wasn’t measured very accurately’ instead of ‘using a stopwatch to measure the oscillation time of the pendulum introduced an error due to the reaction time of the experimenter’).
- giving an example of an improvement without sufficient detail (e.g. ‘the accuracy can be improved by making a video’ rather than ‘by making a video of the swinging pendulum and analysing frame-by-frame, the error in determining the displacement  $d$  can be greatly reduced over trying to determine  $d$  while the pendulum is swinging’).

---

Candidates need opportunities to develop their observational skills in activities where they play an important role. Qualitative tests are important opportunities for developing the skill of recording observations accurately, but observations are important in any practical activity.

### **1.2.1(e) keep appropriate records of experimental activities**

Candidates should routinely record their observations and measurements so that they have a permanent record. These records should be made during the laboratory session and are the primary evidence of the outcomes of experiments. It should be clear to what experiment the measurements or observations refer.

Where experimental procedures have been provided they do not need to be written out again, but they should be kept as part of the record. If an activity has involved a more investigative approach where candidates have developed any part of the procedure, they should keep a record of what they actually did.

The record may also show how the candidate has processed raw data, perhaps by using graphs or calculations, and the conclusions they have drawn. In some cases candidates may also evaluate their practical activity by calculating errors and/or commenting on the limitations of experimental procedures. These skills are not assessed in the Practical Endorsement, but are valuable in understanding the purpose of a practical activity, and will be assessed in the written examinations.

Records may be kept in a laboratory notebook, in a loose-leaf file or electronically. Candidates should record measurements and observations during laboratory sessions immediately, but these could be transferred to the permanent record later; for example, if there is no means of entering data into an electronic record in the lab.

### **1.2.1(f) present information and data in a scientific way**

Candidates should present information and data in ways that are appropriate for that information or data. In many cases this will involve the use of tables. These should include an explanatory title, clear headings for columns and relevant units for measurements (see Appendix 4: Measurement and Appendix 5: Units for further details).

Graphs should be of an appropriate type for the information or data involved. Further detail about drawing and using graphs is given in Appendix 6: Graphical skills.

Some information is best presented by using clear, well labelled diagrams or potentially using annotated photographs.

### **1.2.1(g) use appropriate software and tools to process data, carry out research and report findings**

The most obvious tools and software used for processing data are calculators and spreadsheets. Spreadsheets provide a very effective way of processing data, particularly when the amount of data is large. They can be used to sort data, carry out calculations and generate graphs. Graphs drawn using spreadsheets should not be too small, should have a clear title and the axes should be clearly labelled. Where more than one graph is drawn using the same axes it should be clear what each graph refers to.

If records are kept electronically, candidates will routinely make use of a word processing package to report their findings. Short video clips can be used to show changes over time. Digital images, podcasts and PowerPoint presentations also provide creative ways in which candidates can personalise their individual record of practical activities.

Experiments with very short or very long timescales of data collection lend themselves to the use of a data logger. Examples are fast motions, the charging of a capacitor or calorimetry. Candidates need training in how to use both the hardware and associated software to collect data, particularly if choices need to be made about measurement scales or when a trigger is used to start data collection. In a report or in a lab book it is usually better to present collected data graphically rather than recording a large amount of raw data on paper.

---

### **1.2.1(h) use online and offline research skills including websites, textbooks and other printed scientific sources of information**

Candidates should be given opportunities to use both online and offline research skills in the context of practical activities. A useful starting point might be finding reliable information to devise a risk assessment for an experiment. Safety data sheets, such as the CLEAPSS Student Safety Sheets (accessible without a login) are a good place to start. More detail about sources of information is given in Appendix 1: Health and safety.

In other situations candidates might consult websites, textbooks or scientific journals to clarify or suggest experimental techniques and/or to provide supporting background theory to practical activities.

### **1.2.1(i) correctly cite sources of information**

Where a candidate records information that they have looked up they should provide an accurate reference so that readers can find the information. Details of how to do this are given in Appendix 7: Referencing.

### **1.2.1(j) use a wide range of experimental and practical instruments, equipment and techniques appropriate to the knowledge and understanding included in the specification**

It is expected that candidates will carry out practical work throughout their course and will therefore use a wide range of experimental and practical instruments, equipment and techniques appropriate to the knowledge and understanding included in the specification. The minimum of apparatus and techniques that each candidate must use is listed in specification Section 1.2.2. Suggested apparatus for use during the course is also provided in Appendix 2: Apparatus list.

## Appendix 4: Measurements

This appendix provides background information on terms used in measurement, and conventions for recording and processing experimental measurements. This information relates to skills assessed both in the written examinations and in the Practical Endorsement, notably 1.1.2(c), 1.1.3(c), 1.1.4(b), 1.1.4(d), 1.2.1(d), 1.2.1(f).

### Useful terms

---

**Accuracy** is a measure of the closeness of agreement between an individual test result and the **true** value. If a test result is **accurate**, it is in close agreement with the true value. An accepted reference value may be used as the true value, though in practice the true value is usually not known.

**Error** (of measurement) is the difference between an individual measurement and the **true** value (or accepted reference value) of the quantity being measured.

**Precision** is the closeness of agreement between independent measurements obtained under the same conditions. It depends only on the distribution of random errors (*i.e.* the spread of measurements) and does not relate to the true value.

**Uncertainty** is an estimate attached to a measurement which characterises the range of values within which the true value is asserted to lie. This is normally expressed as a range of values such as  $44.0 \pm 0.4$ .

### Uncertainties

---

In performing practical work, learners should be aware that uncertainties are inherent in any measurement. Any measuring apparatus used has an associated uncertainty.

As a general rule, the uncertainty is often taken to be half a division on either side of the smallest unit on the scale you are using. However, the accuracy of measurements does also depend on the quality of the apparatus used, such as a balance, thermometer, caliper or glassware.

For example

- A 30cm rule has divisions of 1 mm and an uncertainty of half a division or 0.5 mm. When measuring a distance the uncertainty has to be taken into account twice and it is overall 1mm
- A caliper has an accuracy of 0.01 mm when used by a skilled operator

Learners should be able to calculate from the percentage uncertainty in a given measurement.

Learners should also be aware of the difference in uncertainty of different pieces of equipment. For example, if measuring a length the appropriate measurement device should be chosen, depending on the level uncertainty required.



---

## Examples of uncertainties

Some examples are shown below. Note that the actual uncertainty on a particular item of equipment may differ from the values given below. An item of equipment may have different uncertainties for different range settings.

### Ruler

- A ruler with marks every 1mm has an uncertainty of 1mm for a distance measurement
- A caliper has an uncertainty of 0.01 mm when used by a skilled operator

### Voltmeter

- A voltmeter has an uncertainty of 0.1V in the 0-20V range
- The same voltmeter has an uncertainty of 1V in the 0-100V range

### Time Measurement

- A stopwatch measures time with a resolution of 0.01s, however the operator reaction time is significantly longer, increasing the total uncertainty in the measurement
- A light gate measures time with the same resolution of 0.01s, but has a significantly lower total uncertainty as it eliminates the reaction time

## Worked examples

The significance of the uncertainty in a measurement depends upon how large a quantity is being measured. It is useful to quantify this uncertainty as a percentage uncertainty

$$\text{percentage uncertainty} = \frac{\text{uncertainty}}{\text{quantity measured}} \times 100\%$$

For example, a two-decimal place balance may have an uncertainty of 0.005 g.

For a mass measurement of 2.56 g

- percentage uncertainty =  $\frac{0.005}{2.56} \times 100\% = 0.20\%$

For a mass measurement of 0.12 g, the percentage uncertainty is much greater

- percentage uncertainty =  $\frac{0.005}{0.12} \times 100\% = 4.2\%$

## Multiple measurements

Where quantities are measured by difference, there will be an uncertainty in each measurement, which must be combined to give the uncertainty in the final value. The principle of the following example can be applied to other quantities measured by difference.

The difference in length of a rod due to a change in temperature is to be found. The absolute uncertainties of both measurements are summed up to give the uncertainty in the change in length.

Using a rule to determine the elongation of a metal rod due to thermal expansion

Length when cold = 54.3 cm                      uncertainty = 0.1 cm

Length when hot = 55.2 cm                      uncertainty = 0.1 cm

Increase in length = 0.9 cm                      overall uncertainty = 2 × 0.1 cm

$$\text{percentage uncertainty in the elongation} = \frac{2 \times 0.1}{0.9} \times 100\% = 22\%$$

---

While there is a negligible percentage uncertainty in each length measurement, the overall percentage uncertainty in the elongation is much greater and care should be taken to ensure the measurement technique and apparatus are appropriate.

## Recording measurements

---

When using a digital measuring device (such as a modern top pan balance or ammeter),

- record *all* the digits shown.

When using a non-digital device (such as a ruler or a measurement cylinder),

- record all the figures that are known and where appropriate an additional estimated figure may be allowed

### Reading a ruler

A ruler is graduated in divisions every 1 mm. A ruler is a non-digital device, so we record all figures that are known for certain. We can estimate a further figure.

Using the half-division rule, the estimation is 0.5 mm. The overall uncertainty in any distance measured always comes from two measurements, so the overall uncertainty =  $2 \times 0.5 \text{ mm} = 1 \text{ mm}$ .

In a distance measurement covering the entire 300 mm length of the ruler, the uncertainty is small

$$\text{percentage uncertainty} = \frac{2 \times 0.5}{300.0} \times 100\% = 0.3\%$$

For shorter distances, the percentage uncertainty becomes more significant. For measuring a distance of 25 mm:

$$\text{percentage uncertainty} = \frac{2 \times 0.5}{25.0} \times 100\% = 4\%$$

### Mean values

When calculating the mean value of measurements, it is *acceptable* to increase the number of significant figures by 1.

## Presentation of results

---

### Table headings

It is expected that **all** table column (or row) headings will consist of a quantity **and** a unit.

The quantity may be represented by a symbol or written in words. There must be some kind of distinguishing notation between the quantity and the unit. Learners should be encouraged to use solidus notation, but a variety of other notations are accepted. Quantities should be represented with a symbol in italics, while units are upright. For example:

$$T / ^\circ\text{C} \quad T (^{\circ}\text{C}) \quad T \text{ in } ^\circ\text{C} \quad \frac{T}{^{\circ}\text{C}}$$

are all **acceptable** as column headings.

Learners should avoid notations that do not distinguish between the quantity and the unit, such as

$$T \text{ cm} \quad T_{\text{cm}} \quad \text{just 'cm'}$$

---

The logarithm of a quantity can only be taken if a quantity has no units. Therefore, the quantity is divided by an initial value or its unit before taking the logarithm. The resulting logarithm then has no units.

### Consistency of presentation of raw data

All raw readings of a particular quantity should, where possible, be recorded to the same number of decimal places. These should be consistent with the apparatus used to make the measurement (see above).

## Significant figures

---

### How many significant figures should be used?

The result of a calculation that involves measured quantities cannot be more certain than the *least* certain of the information that is used. So the result should contain the same number of significant figures as the measurement that has the *smallest* number of significant figures.

A common mistake by students is to simply copy down the final answer from the display of a calculator. This often has far more significant figures than the measurements justify.

### Rounding off

When rounding off a number that has more significant figures than are justified (as in the example above), if the last figure is between 5 and 9 inclusive round up; if it is between 0 and 4 inclusive round down.

For example, the number 3.5099 rounded to:

4 sig figs is 3.510

3 sig figs is 3.51

2 sig figs is 3.5

1 sig fig is 4

Notice that when rounding you only look at the one figure beyond the number of figures to which you are rounding, *i.e.* to round to three sig fig you only look at the fourth figure.

### How do we know the number of significant figures?

When rounding 228.5 to 2 significant figures, an incorrect approach would be to round to 230.

When seen in isolation, it would be impossible to know whether the final zero in 230 is significant (and the value to 3 sig figs) or insignificant (and the value to 2 sig figs).

In such cases, standard form should be used and is unambiguous:

- $2.3 \times 10^2$  is to 2 sig figs
- $2.30 \times 10^2$  is to 3 sig figs

### When to round off

It is important to be careful when rounding off in a calculation with two or more steps.

- Rounding off should be left until the very end of the calculation.
- Rounding off after each step, and using this rounded figure as the starting figure for the next step, is likely to make a difference to the final answer. This introduces a **rounding error**.

***Learners often introduce rounding errors in multi-step calculations.***

---

## Example

The resistance of a resistor is determined by measuring the potential difference and current. The voltmeter reads 12.0 V and the ammeter 1.3 mA.

The resistance can be found using  $R=V/I$ . Using a calculator the resistance is then  $12.0/(1.3 \times 10^{-3})=9.2307\text{k}\Omega$ .

*Since the least certain measurement (the current) is only to 2 significant figures, the answer should also be quoted to 2 significant figures.*

Therefore, the resistance to the correct number of significant figures is  $R=9.2\text{ k}\Omega$

*It should be noted however, that if this figure is to be used in subsequent calculations then the rounding off should **not** be applied until the final answer has been obtained.*

For example, the resistor is used in a circuit to determine the capacitance of a capacitor. The circuit was found to have a time constant  $\tau=RC=0.31\text{ s}$

Using the calculator value of 9.2307 k $\Omega$

- $C = 3.3584 \times 10^{-5}\text{ F}$
- rounding to 2 sig figs gives  $C = 3.36 \times 10^{-5}\text{ F}$

Using the rounded value of 9.2 k $\Omega$  to determine the capacitance

- $C = 3.3696 \times 10^{-5}\text{ F}$
- rounding to 2 sig figs gives  $C = 3.37 \times 10^{-5}\text{ F}$  and we have a 'rounding error'.

## Logarithms

Significant figures in logarithmic quantities often pose difficulties for learners. Often it is not appreciated by learners that the characteristic is a place value and it not 'significant' in relation to the precision of the data. The table below illustrates this. All values for  $x$  are given to three significant figures.

$x$	$\log(x)$
2.53	0.403
25.3	1.403
253	2.403
$2.53 \times 10^6$	6.403
$2.52 \times 10^6$	6.401
$2.54 \times 10^6$	6.405

Clearly the characteristic must be given, but it can be seen that changes the last figure in the value of  $x$  will change the third decimal place in the value of  $\log(x)$ . Therefore it would be sensible to quote  $\log(x)$  to three decimal places if the values of  $x$  are correct to three significant figures. The characteristic fulfils the same role as  $\times 10^n$  in the standard notation, which is also not considered part of the number of significant figures.

---

## Errors in procedure

---

The accuracy of a final result also depends on the procedure used. For example, in a calorimetry experiment, the measurement of a temperature change may be precise but there may be large heat losses to the surroundings which affect the accuracy of overall result.

When determining the acceleration of free fall  $g$  by dropping objects, ignoring air resistance may significantly affect the accuracy. Compare dropping an inflated balloon and a stone of a similar shape and volume from the same height: air resistance will cause the balloon to fall much slower than the stone. The value for  $g$  found with the balloon will have thus have a much lower accuracy than the one found using the stone.

A more trivial example is using the wrong scale on a measurement device, such as using inches instead of centimetres on a rule.

### Anomalous readings

Where an experiment uses repeated measurements of the same quantity, such as repeated measurements of an elapsed time, anomalous readings should be identified. If a measurement is clearly outside the range of all other readings, it can be judged as being anomalous and should be ignored when the mean time is calculated.

Similarly, if a plotted graph reveals that a value is clearly anomalous, then it should be ignored.

---

## Percentage Difference

---

Learners may be asked to determine the difference between experimental values and accepted values. 'Experimental values' are those that are derived from measurement or calculation, whereas 'accepted' or 'theoretical' values are values that are accepted by the scientific community. The percentage difference between an experimental and accepted value is determined as follows:

$$\text{percentage difference} = \frac{\text{experimental value} - \text{accepted value}}{\text{accepted value}} \times 100\%$$

In many cases there will be no 'accepted value', especially since most experiments are performed to find out something 'new'. However it is considered good practice when developing a new experiment to first try to perform a measurement that does have an accepted value the result can be compared to. The scientist can then assess if their experiment is accurate.

---

## References

---

The ASE booklet *The Language of Measurement* (ISBN 9780863574245) provides additional guidance on many of the matters discussed in this section.

## Appendix 5: Units

Learners are expected to use the following units for measurements made and in associated calculations during the course of the practical work carried out to support the GCE Physics qualifications. Records of measurements should always include the relevant units. There are 7 SI base units, all other units are derived from the 7 base units. Practicals and other assessed work may require the derivation of units by the learner and may include derived units not included below.

### Base Units

length	m
mass	kg
time	s
electric current	A
temperature	K
luminous intensity	cd (not part of OCR A Level Physics Specification)
amount of substance	mole

### Derived Units

area	$\text{m}^2$
volume	$\text{m}^3$
velocity	$\text{ms}^{-1}$
speed	$\text{ms}^{-1}$
acceleration	$\text{ms}^{-2}$
momentum	$\text{kg m s}^{-1}$
density	$\text{kg m s}^{-3}$
force	N
torque	N m ( <i>not to be confused with energy!</i> )
momentum	N s
energy	J
work	J
power	$\text{W}=\text{J s}^{-1}$
pressure	Pa

---

gravitational constant	$\text{N kg}^{-2} \text{ m}^2$
gravitational field strength	$\text{N kg}^{-1}$
angle	$^\circ, \text{rad}$
angular displacement	$\text{rad s}^{-1}$
angular velocity	$\text{rad s}^{-1}$
frequency	$\text{Hz} = \text{s}^{-1}$
potential difference	V
electromotive force (e.m.f.)	V
capacitance	F
electric resistance	$\Omega$
electric conductance	S
electric resistivity	$\Omega\text{m}$
electric conductivity	$\text{Sm}^{-1}$
electric charge	C
electric field strength	$\text{N C}^{-1}, \text{V m}^{-1}$
permittivity of free space	$\text{F m}^{-1}$
magnetic flux	Wb
magnetic flux density	T
permeability of free space	$\text{H m}^{-1}$
stress	Pa
strain	fraction or percent
Young's modulus	Pa
spring constant	$\text{N m}^{-1}$
temperature	K, $^\circ\text{C}$
specific heat capacity	$\text{J kg}^{-1} \text{ K}^{-1}$
specific latent heat	$\text{J K}^{-1}$
activity radioactive source	Bq
radiation dose	$\text{Gy} = \text{J kg}^{-1}$
radiation dose equivalent	$\text{Sv} = \text{J kg}^{-1}$

## Appendix 6: Graphical skills


This appendix provides background information on the following graphical skills:

- choice of scale
- plotting of points
- line of best fit
- calculation of gradient
- determination of the y-intercept.


This information relates to skills assessed both in the written examinations and in the Practical Endorsement, notably 1.1.3(d) and 1.2.1(f).

### Choice of scales

Scales should be chosen so that the plotted points occupy at least half the graph grid in both the x and y directions.



Not acceptable - scale in the y-direction is compressed



Acceptable - points fill more than half the graph grid in both the x and y directions

It is expected that each axis will be labelled with the quantity (including unit) which is being plotted. The quantity may be represented by a symbol or written in words. There must be some kind of distinguishing notation between the quantity and the unit. Learners should be encouraged to use solidus notation, but a variety of other notations are accepted. For example:


$$T / ^\circ\text{C} \quad T(^{\circ}\text{C}) \quad T \text{ in } ^\circ\text{C} \quad \frac{T}{^{\circ}\text{C}}$$

are all **acceptable** as axis labels.


The logarithm of a quantity has no units. Therefore, the axis label for e.g. pH measurements can be written simply as 'pH'.



The scale direction must be conventional (i.e. increasing from left to right).




Not acceptable - unconventional scale direction




Acceptable - conventional scale direction

This problem often occurs when scales are used with negative numbers.

Learners should be encouraged to choose scales that are easy to work with.




Acceptable scale divisions.




Not acceptable - awkward scale on the x-axis.

Learners who choose awkward scales in examinations often lose marks for plotting points (as they cannot read the scales correctly) and calculation of gradient ( $\Delta x$  and  $\Delta y$  often misread – again because of poor choice of scale).

Scales should be labelled reasonably frequently (i.e. there should not be more than three large squares between each scale label on either axis).




Not acceptable - too many large squares with no label




Acceptable - scales have regular labels

There should be no 'holes' in the scale.




Not acceptable - non-linear scale on the x-axis




Acceptable - scale labelling is regular

## Plotting of points

Plots in the margin area are not allowed, and will be ignored in examinations. Sometimes weaker candidates (realising they have made a poor choice of scale) will attempt to draw a series of lines in the margin area so that they can plot the 'extra' point in the margin area. This is considered to be bad practice and would not be credited.



Not acceptable - the last point has been plotted in the margin area




Acceptable - all plotted points are on the graph grid

It is expected that all observations will be plotted (e.g. if six observations have been made then it is expected that there will be six plots).

Plotted points must be accurate to half a small square.

Plots must be clear (and not obscured by the line of best fit or other working).

Thick plots are not acceptable. If it cannot be judged whether a plot is accurate to half a small square (because the plot is too thick) then the plotting mark will not be awarded.




Thick plots not acceptable

---


## Line (or curve) of best fit

---


There must be a reasonable balance of points about the line. It is often felt that candidates would do better if they were able to use a clear plastic rule so that points can be seen which are on both sides of the line as it is being drawn.



Not acceptable - too many points above the line




Acceptable balance of points about the line




Not acceptable - forced line through the origin (not appropriate in this instance)


The line must be thin and clear. Thick/hairy/point-to-point/kinked lines are not credited.



Not acceptable - thick line



Not acceptable - 'hairy' curve




Not acceptable – joining point-to-point


## Determining gradients

All the working must be shown. A 'bald' value for the gradient may not be credited. It is helpful to both candidates and examiners if the triangle used to find the gradient were to be drawn on the graph grid and the co-ordinates of the vertices clearly labelled.

The length of the hypotenuse of the triangle should be greater than half the length of the line which has been drawn.




Not acceptable - the 'triangle' used is too small




Acceptable – a large 'triangle' used

The values of  $\Delta x$  and  $\Delta y$  must be given to an accuracy of at least one small square (i.e. the 'read-off' values must be accurate to half a small square).

If plots are used which have been taken from the table of results then they must lie on the line of best fit (to within half a small square).



Not acceptable - the data points used which do not lie on the line of best fit




Acceptable - plots on line


Candidates should remember to use appropriate units when reporting gradient values.

## Intercept

The  $y$ -intercept must be read from an axis where  $x = 0$ . It is often the case that candidates will choose scales so that the plotted points fill the graph grid (as they should do) but then go on to read the  $y$ -intercept from a line other than  $x = 0$ .



Not acceptable – the  $y$ -intercept is found from the line  $x = 5$



Acceptable – the value taken from the line  $x = 0$

Alternatively, the intercept value can be calculated, recognising that a straight-line graph has the basic formula  $y = mx + c$ . Substituting the gradient value and a set of coordinates on the line of best fit and solving the equation will give the intercept.

## Appendix 7: Referencing

One of the requirements of the Practical Endorsement is that candidates demonstrate that they can correctly cite sources of information. The point of referencing is to provide the sources of information that have been used to produce the document, and to enable readers to find that information. There are many different systems of reference in use; the most important thing for candidates to appreciate this level is that they should be consistent in how they reference, and that they provide sufficient information for the reader to find the source.

### Systems of citation

Wherever a piece of information that has been retrieved from a source is provided in a text, an in-text citation should be included that links to the full original source in the reference list.

There are two main systems of in-text citation: the Vancouver system, which uses numerical citations, and the parenthetical system (of which the Harvard system is the best known version), in which limited reference information is given in brackets in the text.

Candidates are likely to find the Harvard system easier to handle. However, candidates should be aware of the Vancouver system as they may come across this system in their secondary research.

It does not matter which system candidates use in the context of the requirements for the Practical Endorsement. However, referencing should be complete and consistent. If candidates are already using a particular referencing system in another area of study, for example for an Extended Project qualification, it would make sense if they use the same system within their Physics studies.

#### Vancouver system

The Vancouver system looks like this:

The first laser was successfully operated in 1960 by a team lead by Theodore Maiman<sup>1</sup>.

The full references are given in a numbered list at the end of the document, with each number linked to the appropriate reference, e.g.:

1. Hecht, E. (1987) *Hecht Optics*, 2<sup>nd</sup> ed. Addison Wesley

The references are ordered in the sequence in which they are first cited in the text. The numbers are repeated in the in-text citations as required, so the same number is always used to cite a given reference.

#### Parenthetical (Harvard) system

The parenthetical system looks like this:

The first laser was successfully operated in 1960 by a team lead by Theodore Maiman (Hecht, 1987)

The author(s) and date of the work are included in brackets at the appropriate point in the text. In this case, the list of full references at the end of the document is ordered alphabetically, and the references are not numbered.

For multi-author works, the full list of names is usually not given in in-text references. Rather, the first name is given followed by 'et al.'. This is commonly done for works with more than three authors.



# References

---

While different referencing systems have minor variations in how they present complete references, the basic information provided is always very similar, and based on the principle of providing sufficient information so that the reader can find the information source.

An overview is given below of standard referencing formats for the types of sources that students are likely to cite.

## Books

General reference format:

Authors (year), *Title*, edition (if relevant), publisher's location, publisher

For example:

Young, H., Freedman, R. (2004). *University Physics with modern physics*, 12<sup>th</sup> ed., Boston, Addison Wesley

For books that have an editor or editors, include (ed.) or (eds) after the names.

If a book does not have named authors or editors, the reference begins with the title, e.g.:

*CLEAPSS Laboratory Handbook* (2001), Uxbridge, CLEAPSS School Science Service

## Journal articles

General reference format:

Authors (year), 'Article title', *Journal title*, vol. no, issue no, pp. xxx–xxx

For example:

Aad, G, et al (2012), 'Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC' *Physics Letters B* vol 716, no 1, pp 1-29

## Websites

General reference format:

Authors (year), *Title*. [online] Last accessed date: URL

For example:

Dianna Cowern (2015), *Crazy pool vortex* [online] Last accessed 22 April 2015:  
<https://www.youtube.com/watch?v=pnbJEg9r1o8>

Webpages and online resources frequently do not have individual authors. In that case, the name of the organisation is given.

Similarly, it is often not possible to find the year in which online material or documents were produced. In that case, use the year in which the information was sourced.

Institute of Physics (2015), *Three alternative ways to charge your iPod* [online] Last accessed 22 April 2015: <http://www.physics.org/featuredetail.asp?id=34>

If no author or organisation can be found, reference the website by title. However, in that case due consideration should be given as to whether the website is a trustworthy source!

---

## Appendix 8: Resources

### General resources

There are many resources available to help teachers provide support to candidates. These include both books and websites.

Useful websites are:

- CLEAPSS at [www.cleapss.org.uk](http://www.cleapss.org.uk)
- the Institute of Physics (IoP) at <http://www.iop.org/>
- physics.org by IoP at <http://www.physics.org/>
- American Physical Society (APS) at <http://www.aps.org/>
- National Institute of Standards and Technology at <http://www.nist.gov/index.html>
- the ASE at [www.schoolscience.co.uk](http://www.schoolscience.co.uk)

### CPD

OCR runs CPD courses every year, and these include sessions either wholly or partly to support the practical assessments, both in the written examinations and through the Practical Endorsement. More details about CPD provision are available at [www.cpdhub.ocr.org.uk](http://www.cpdhub.ocr.org.uk)

### Practical Activity Support Service

OCR Subject Specialists are available to offer support and guidance on all aspects of the practical assessments. Centres can request guidance with regard to mapping their own activities, or activities provided by third parties, against the requirements of the Practical Endorsement to confirm whether the activities meet the requirements for any of the Practical Activity Groups.

Centres can direct queries regarding the Practical Endorsement to the OCR Science Team through: [pass@ocr.org.uk](mailto:pass@ocr.org.uk).

For other, more general, queries about any aspects GCE Physics specifications, please contact: [ScienceGCE@ocr.org.uk](mailto:ScienceGCE@ocr.org.uk)

## Appendix 9: Interchange help sheet

Activities to support the Practical Endorsement can be obtained via OCR's secure website, Interchange (<https://interchange.ocr.org.uk>).

Copies of the *Data Sheets* for Physics A and Physics B (Advancing Physics), Practical Skills Handbook, the Tracker and any other supporting documents are also available via Interchange.

Most of the documents are PDF files. You need Acrobat Reader for this. Free copies are available to download from <http://www.adobe.com/uk/products/acrobat>

You may also need a zip program such as WinZip or PKZip to extract the files. Most versions of Windows have a built in zip extractor.

### How to use OCR Interchange

Your Examinations Officer is probably using OCR Interchange to administer qualifications already. If not, they will need to register. The website address for Interchange is:

<https://interchange.ocr.org.uk>

Your Examinations Officer will be able to:

- download the relevant documents for you by adding the role of 'Science Coordinator' to their other roles or
- make you a New User (Science Coordinator role) so that you can access the **GCE from 2015** pages and download documents when you need them.

### Registering for Interchange

If your Examinations Officer is not already a registered user of Interchange then he/she will need to register before the activities can be downloaded.

This is a straightforward process:

- Go to the website – <https://interchange.ocr.org.uk> ;
- The first page has a New User section;
- Click on Sign Up to access the OCR Interchange Agreement Form 1;
- Download this document and fill in your details;
- Return the form by post to OCR Customer Contact Centre, Westwood Way, Coventry, CV4 8JQ or fax the form back to 024 76 851633;
- OCR will then contact the Head of Centre with the details needed for the Examinations Officer to access OCR Interchange.

### How the page works

Hovering the mouse pointer over an Activity or document link generates a summary of the file.

Simply clicking on the Activity link allows you to download the zipped material to your desktop. The zip file contains all three sample activities for a given PAG with a student sheet and a teacher/technician sheet. All files have a unique name so there is no danger of overwriting material on your computer.

## E-mail updates


To be notified by e-mail when changes are made to the **GCE Physics** page on Interchange please e-mail [GCEscicentasks@ocr.org.uk](mailto:GCEscicentasks@ocr.org.uk) including your centre number, a contact name and the subject line **GCE Physics**. It is strongly recommended that all centres register for e-mail updates.



### Welcome

You can use Interchange to securely access candidate information and online services for all OCR qualifications, 24 hours a day.

New features will be added over the coming months. Please check the [OCR website](#) and your email for information.



Log in with the details from your Exams Officer

**Login**

Login ID:  \* (for centre users this will be your centre number)

Username:  \*

Password:  \* (case sensitive)

[Forgotten your password?](#)



You are here: Home » Science Co-ordinator materials

### Science coordinator ma

• [Entry Level](#)

#### Support material

Science Co-ordinator materials

Text Processing recall material

Certificate in Admin

Administration (Business Professional)

OCR-set tasks: Adult Numeracy

Exercise and Fitness unit tests

Creative iMedia

Entry level tasks

Bookkeeping and Accounting

If you use Windows 95, 98, 2000, ME, or NT, u



First click here

**By task**

- Candidates
- **Coursework and tests**
- Results
- Resources and materials
- Admin

**By qualification**

- GCE, GCSE, Cambridge Nationals...
- Functional Skills
- Vocationally related
- Progression Qualifications



Then click here

## Science coordinator materials

- By task
  - Candidates
  - Entries
  - Coursework and tests
  - e-Assessment
  - Certification claims
  - Results
  - Post results
  - Centre information
  - Assessors
  - Search
  - Resources and materials
  - Admin
- By qualification
  - GCE, GCSE, Cambridge Nationals...
  - OCR Nationals
  - Cambridge Technicals
  - QCF
  - Functional Skills
  - Skills for Life
  - NVQ
  - Vocationally related
  - CLAIT & ITQ
  - Progression Qualifications

- [Entry Level](#)
- [GCSE Gateway](#)
- [GCE AS/A2 Upto 2015](#)
- [GCE From 2015](#)

**Qualification level – Click GCE from 2015**

The GCE suggested practical activities for the Practical Endorsement are for the use of OCR teachers. They are opportunities for teachers to assess against the Common Practical Assessment Criteria.

Before commencing practical work it is recommended that teachers familiarise themselves with Module 1 - Development of Practical Skills and Appendix 5 of the specification.

Before undertaking assessment for the Practical Endorsement it is recommended that teachers familiarise themselves with the Practical Skills Handbook which can be found in the Supporting Materials.

To assist with recording for the Practical Endorsement the OCR PAG Tracker is also available in the Supporting Materials.

- [Biology](#) [More detail ▼](#)
- [Chemistry](#) [More detail ▼](#)
- [Physics](#) [Less detail ▲](#)

**Click on your subject area**

### Notices

- 📌 **NEW!** Examples of our practical activities for Physics (first teaching September 2016) are now available from the Physics Section of this page.

**Any important notices will appear**

**How to sign up for updates**

#### E-mail updates

To be notified by e-mail when changes are made to this **GCE Physics** page please e-mail [positiveaboutpractical@ocr.org.uk](mailto:positiveaboutpractical@ocr.org.uk) including your centre number, centre name, a contact name and the subject line **GCE Physics**.

For support with mapping your own practical work to the CPAC criteria you can email [PASS@ocr.org.uk](mailto:PASS@ocr.org.uk)

Keep up-to-date on OCR Physics on the Science community, see [www.social.ocr.org.uk](http://www.social.ocr.org.uk)

#### Physics

- 📎 [PAG 1](#) (ZIP 987KB)
- 📎 [PAG 2](#) (ZIP 440KB)
- 📎 [PAG 3](#) (ZIP 241KB)
- 📎 [PAG 4](#) (ZIP 216KB)
- 📎 [PAG 5](#) (ZIP 276KB)
- 📎 [PAG 6](#) (ZIP 548KB)

#### Supporting Materials

- 📎 [Tracker and Planning Sheet](#) (ZIP 7...

**Supporting materials available to download, e.g. Practical Skills Handbook, Tracker.**

**Practical activities will appear here**





## OCR customer contact centre

General qualifications

Telephone 01223 553998

Facsimile 01223 552627

Email [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)



For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. ©OCR 2015 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office 1 Hills Road, Cambridge CB1 2EU. Registered company number 3484466. OCR is an exempt charity.

[ocr.org.uk/alevelphysics](http://ocr.org.uk/alevelphysics)